

2026



**VIKKING**  
COMPOSITE DOORS & REAL WOOD WINDOWS

ENERGY-EFFICIENT WINDOWS

edition 1



## Table of Contents

|                      |    |                    |    |
|----------------------|----|--------------------|----|
| 1. System advantages | 4  | 5. Design          | 42 |
| 2. Window systems    | 11 | 6. Window fittings | 44 |
| 3. Terrace systems   | 29 | 7. Accessories     | 50 |
| 4. Collections       | 36 | 8. Composite doors | 64 |



We present to you

## Product catalogue of energy-efficient windows

We are pleased to present you with the latest guide to the world of modern window solutions, where aesthetics meet technological excellence. Our products are not just architectural elements – they are an expression of lifestyle, attention to detail and a conscious choice of quality. VIKKING is a brand that sets trends, combining innovative design with the functionality of the future.

CEO

*Tadeusz Kozłowski*

### A FAMILY BUSINESS WITH TRADITIONS

VIKKING is a family business with nearly 50 years of history. We have always adhered to the unchanging principle of upholding the timeless values of business integrity. Credibility and honesty, as well as a sense of mission to manufacture products of the highest quality, have been the constant vectors of our mission for years. This is confirmed by numerous certificates, awards and a constantly growing group of satisfied customers in several countries around the world.





**BEAUTY AND FUNCTIONALITY**

**HARMONIOUSLY COMBINED**





# Notice the differences

Discover a new quality in the world of window joinery – a place where advanced technology meets timeless aesthetics. VIKKING PVC windows not only have a modern look, but above all offer intelligent solutions that ensure comfort of use, energy savings, safety and exceptional durability for years to come. They are the choice for those who value design but do not compromise on caring for the environment. With VIKKING, every home gains a unique character and everyday life takes on a new dimension of functionality.



## INNOVATIVE

The only PVC windows on the market with Real Wood-look profile decoration — a unique, internationally patented system. These windows combine exceptional durability and natural elegance, featuring a textured surface that perfectly imitates real wood. Finished with premium eco-friendly varnishes, they offer long-lasting colour and timeless beauty.



## ENERGY EFFICIENT

Advanced technologies, such as triple-glazed units with low-emission coatings, effectively reduce heat loss and minimize solar radiation penetration. Window frames made from modern materials like PVC provide excellent thermal insulation, enhancing the energy efficiency of interior spaces. This significantly lowers heating and cooling costs, contributing to balanced energy consumption.



## PERFECTLY MODERN

Strong angles and minimalist architecture give VISION NEO windows their distinctive cubist, symmetrical form. Combining modern technologies with unique design, the system ensures top energy efficiency and reflects the latest design trends. Every detail serves this vision. This makes the windows stand out not only for their functionality but also for their timeless elegance.



**YOUR HOME IS THE  
MOST IMPORTANT  
PLACE ON EARTH**





# What to look for when choosing windows?

## High-quality glazing package

Multi-chamber, energy-efficient glazing units provide excellent thermal and acoustic insulation, improving comfort and reducing heating bills.

## Low heat transfer coefficient ( $U_w$ )

The lower the coefficient, the better the thermal insulation of the windows, which translates into lower energy consumption.

## Warm glazing bead

It increases the thermal insulation of windows, minimising heat loss and preventing condensation from forming on the glass.

## Number of chambers in the profile

The more chambers in the profile, the better the window's insulation parameters. Modern profiles effectively retain heat inside rooms.



## A wide range of colours and finishes

The possibility of matching the colour of the windows and the profile structure to the style of the façade and interior, which contributes to the consistent appearance of the entire house.

## Burglar-proof fittings

Additional security features, such as special latches and key-locking door handles, increase the level of home security.

## Invisible hinges

This solution provides an elegant, minimalist look with no visible mounting elements.

## Seals with increased flexibility

High-quality seals provide excellent protection against wind, moisture and noise, guaranteeing tightness for many years.

## Stability and resistance of profiles

Solid, reinforced profiles guarantee the durability of the window structure, resistance to deformation, and safe use for many years.





## **SAFE HOUSE**

**CARING FOR YOUR LOVED ONES**



# A peaceful home begins with secure windows

## SAFETY WITHOUT COMPROMISE

We offer an increased level of protection thanks to a reinforced structure and the use of modern security solutions. A greater number of anti-burglary catches effectively increases the frame's resistance to forced entry. An additional element of the security system is a handle with a key, equipped with anti-drill protection that prevents tampering with the mechanism. As a result, VIKKING windows provide a solid barrier against potential intruders, ensuring peace of mind and security for the household.




## REVERSE OPENING SEQUENCE

We have ensured the safety of children by offering fittings with reverse opening. Thanks to these, children cannot open the window on their own – the handle in the horizontal position only allows the window to be tilted, and only the vertical position allows it to be fully opened. It is a simple and effective solution. In addition, we offer a TBT handle with a key, which allows you to lock the window in a selected position, ensuring even greater control and safety.



## FULL CONTROL

activPilot Control fittings with built-in magnetic sensors immediately detect when a window is opened and send a signal to the smart home system. This makes them an important part of your home security system – they respond to unauthorised access, work with your alarm system and increase protection against burglary. They do not require any wall modifications or wiring, making them ideal for finished interiors – without compromising on aesthetics.





# SMART HOME WITHOUT BARRIERS

## LOW THRESHOLD – BARRIER-FREE FUNCTIONALITY

A zero threshold is not only modern in appearance, but above all convenient and safe. It facilitates easy passage for children, seniors and people with disabilities, minimising the risk of tripping.

PVC doors are also available with a magnetic function that increases the tightness of the entire structure



## EASY VENTILATION – REMOTE CONTROL

Unseal your window with a remote control, panel, or app – modern VIKKING technology allows for complete remote control. Cyclic ventilation programs let you enjoy fresh air without leaving your chair.

Remotely locks and unlocks the window sash

Manual control, via remote control or phone app

For use in natural ventilation systems.

Various color variants available



## ALWAYS AT HAND – ANY HANDLE LOCATION

Modern windows with a handle on the lower frame offer convenience and accessibility for everyone – ideal for people with limited mobility. This solution combines aesthetics with full functionality.

Automatic opening of the sash by turning the handle by 180°

Traditional opening with the handle positioned at 90°

Perfect for people with physical disabilities

For hard-to-reach windows







**DISCOVER WINDOW SYSTEMS**









# VISION NEO


## NEW ENERGY





# ELEGANCE AND MINIMALISM

FOR EVERYONE




## VISION NEO

The VISION NEO series is an extremely attractive design option for customers who value timeless style. The simple, symmetrical, cubist shape is the distinguishing feature of the system.

During the development process, we took into account many ideas and requests from our customers: a modern and timeless appearance, a simple and compatible solution, and the desire to create windows for both newly built and renovated buildings.

**TECHNOLOGY OF THE FUTURE**



## **BONDING INSIDE**

VISION NEO is a modern window platform adapted to glass bonding technology, which increases the durability and stability of the structure. Thanks to bonding around the entire perimeter, the glass gains permanent support, withstands stress better and protects the frame from deformation under the influence of external conditions.



## **SAFETEC INSIDE**

The VISION NEO system with a 'classic centre seal' is an innovative solution on the market. Thanks to Safetec inside technology and a special extruded centre seal, it ensures excellent tightness, better thermal and acoustic insulation, and increases security by making it more difficult to access the fittings.



## **POWERDUR INSIDE**

Technology using composite reinforcements instead of traditional steel in PVC window frames. It improves thermal insulation by eliminating thermal bridges, while maintaining high rigidity and durability of the structure.








# VISION NEO

Window system



CUBE-LINE

OPTION: NAILING FIN

- |                                                                                                 |                                                                     |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| ■ Installation depth: AD   MD 2 63/64 in (76 mm) / profile stacking height: 4 21/64 in (110 mm) | ■ Number of seals: AD-2   MD-3                                      |
| ■ Uw value: AD $U_w=0,82 \text{ W/m}^2\text{K}^*$ MD $U_w=0,78 \text{ W/m}^2\text{K}^*$         | ■ Maximum glazing depth: 2 1/64 in (51 mm)                          |
| ■ Fittings: Winkhaus                                                                            | ■ Number of chambers: 6                                             |
| ■ Burglary resistance: Class RC2 - optional                                                     | ■ Available profile variants: non-flush                             |
| ■ Warranty: 10 years**                                                                          | ■ Collection: Standard, Woodec, Aludec, Real Wood look, Real Colors |

\*Value according to European standards for a reference window measuring 48 7/16 in × 58 9/32 in (1.23 m × 1.48 m).

\*\*Please contact your distributor for further details.







# VISION NEO ENERGETO

Window system



CUBE-LINE

OPTION: NAILING FIN

- Installation depth: 2 63/64 in (76 mm) / profile stacking height: 4 17/32 in (115 mm)
- Uw value: 0,76 W/m<sup>2</sup>K\*
- Fittings: Winkhaus
- Burglary resistance: Class RC2 - optional
- Warranty: 10 years\*\*

- Number of seals: MD-3
- Maximum glazing depth: 2 1/64 in (51 mm)
- Number of chambers: 6
- Available profile variants: non-flush
- Collection: Standard, Woodec, Aludec, Real Wood look, Real Colors

\*Value according to European standards for a reference window measuring 48 7/16 in × 58 9/32 in (1.23 m × 1.48 m).

\*\*Please contact your distributor for further details.







# VISION NEO PLUS

Window system



CUBE-LINE

FLUSH PROFILE

POWERDUR INSIDE

OPTION: NAILING FIN

- Installation depth: 2 63/64 in (76 mm) / profile stacking height: 4 21/64 (110 mm)
- Uw value: 0,78 W/m<sup>2</sup>K\*
- Fittings: Winkhaus
- Burglary resistance: Class RC2 - optional
- Warranty: 10 years\*\*

- Number of seals: MD-3
- Maximum glazing depth: 2 43/64 in (68 mm)
- Number of chambers: 6
- Available profile variants: flush
- Collection: Standard, Woodec, Aludec, Real Wood look, Real Colors

\*Value according to European standards for a reference window measuring 48 7/16 in × 58 9/32 in (1.23 m × 1.48 m).

\*\*Please contact your distributor for further details.







# ULTIMATE 8000

Window system



CLASSIC LINE

OPTION: NAILING FIN

- Installation depth: 3 11/32 in (85 mm) / profile stacking height: 4 11/16 in (119 mm)
- Uw value: 0,76 W/m<sup>2</sup>K\*
- Fittings: Winkhaus
- Burglary resistance: Class RC2 - optional
- Warranty: 10 years\*\*

- Number of seals: AD-3
- Maximum glazing depth: 2 1/64 in (51 mm)
- Number of chambers: 6
- Available profile variants: non-flush
- Collection: Standard, Woodec, Aludec, Real Wood look, Real Colors

\*Value according to European standards for a reference window measuring 48 7/16 in × 58 9/32 in (1.23 m × 1.48 m).

\*\*Please contact your distributor for further details.







# COMTEC 85

Window system



CLASSIC LINE

OPTION: NAILING FIN

- Installation depth: 3 11/32 in (85 mm) / profile stacking height: 4 17/32 in (115 mm)
- Uw value: 0,76 W/m<sup>2</sup>K\*
- Fittings: Winkhaus
- Burglary resistance: Class RC2 - optional
- Warranty: 10 years\*\*

- Number of seals: MD-3
- Maximum glazing depth: 2 1/64 in (51 mm)
- Number of chambers: 7
- Available profile variants: non-flush
- Collection: Standard, Woodec, Aludec, Real Wood look, Real Colors

\*Value according to European standards for a reference window measuring 48 7/16 in × 58 9/32 in (1.23 m × 1.48 m).

\*\*Please contact your distributor for further details.







# ARCTIC ULTRA 7000

Window system



CLASSIC LINE

OPTION: NAILING FIN

- Installation depth: 3 11/32 in (85 mm) / profile stacking height: 4 11/16 in (119 mm)
- U<sub>w</sub> value: 0,67 W/m<sup>2</sup>K\*
- Fittings: Winkhaus
- Burglary resistance: Class RC2 - optional
- Warranty: 10 years\*\*

- Number of seals: 2
- Maximum glazing depth: 2 1/64 in (51 mm)
- Number of chambers: 6
- Available profile variants: non-flush
- Collection: Standard, Woodec, Aludec, Real Wood look, Real Colors

\*Value according to European standards for a reference window measuring 48 7/16 in × 58 9/32 in (1.23 m × 1.48 m).

\*\*Please contact your distributor for further details.







# V-SLIDE NEO

SQUARE DESIGN





## V-SLIDE NEO

### A NEW DIMENSION OF COMFORT

Even larger dimensions, the possibility of using wider glazing units and a unique angular, cubist profile shape. V-SLIDE NEO patio doors combine ease of use, reliability and beauty in one.

- ▶ Frame installation depth: 6 1/16 in (154 mm)
- ▶ Sash installation depth: 3 5/64 in (78 mm)
- ▶  $U_w = 0,72 \text{ W/m}^2\text{K}^*$
- ▶ Hidden hardware mechanisms
- ▶ Maximum structure width: 232 9/32 in (5900 mm)
- ▶ Maximum height of the structure: 98 27/64 in (2500 mm)
- ▶ Maximum glazing depth: 2 1/64 in (51 mm)
- ▶ Possible opening options: A, C
- ▶ Available with double-sided handles



#### DESIGN SQUARED

A combination of modernity and elegance, thanks to simple, symmetrical shapes.



#### SPACE SAVING

Setting the door in the sliding position does not cause the movable leaf to penetrate into the interior of the room.

\*Value according to European standards for a reference window measuring 122 1/16 in × 94 1/2 in (3.1 m × 2.4 m). Please contact your distributor for further details.



The doors are available with a single sliding sash in either a symmetrical or asymmetrical configuration, or with two sliding sashes.



Diagram A (symmetrical)



Diagram C



Diagram A (asymmetrical)



**DOUBLE-SIDED  
HANDLES**



**ENHANCED BURGLAR-RESISTANT  
PROTECTION FOR YOUR HOME**




**MAXIMUM CONSTRUCTION  
WIDTH: 232 9/32 in  
(5900 mm)**



#### **AIRTIGHTNESS**

By turning the handle, the perimeter seals are pressed transversely against the frame along the entire circumference.



#### **INTUITIVE OPERATION**

The innovative locking mechanism allows for easy operation, providing a smooth and effortless opening and closing of the window with minimal effort.



#### **SOFT CLOSE**

Exceptional lightness and ease of sliding. It ensures comfortable closing and prevents damage caused by improper use. It also provides protection against pinching.







## V-SPACE

### LIFT-AND-SLIDE DOORS

V-SPACE sliding doors are the only window structures that enable the creation of large-scale glazing, offering an exceptional view of the surroundings. They are the perfect solution for those seeking a comfortable connection between the interior and the terrace, as well as a panoramic view.

- ▶ Frame installation depth: 7 1/4 in (184 mm)
- ▶ Sash installation depth: 3 11/32 in (85 mm)
- ▶  $U_w = 0,75 \text{ W/m}^2\text{K}^*$
- ▶ Maximum structure width: 251 31/32 in (6400 mm)
- ▶ Maximum height of the structure: 106 19/64 in (2700 mm)
- ▶ Maximum glazing depth: 2 1/64 in (51 mm)
- ▶ Possible opening options: A, C
- ▶ Available with double-sided handles



#### PANORAMIC VIEWS

A harmonious connection between the interior of the home and the surrounding landscape. A coherent and open space.



#### WELL-LIT INTERIOR

Increased natural light entering the rooms and efficient use of solar thermal energy

\*Value according to European standards for a reference window measuring 122 1/16 in × 94 1/2 in (3.1 m × 2.4 m). Please contact your distributor for further details.



The doors are available with a single sliding sash in either a symmetrical or asymmetrical configuration, or with two sliding sashes.



Diagram A (symmetrical)



Diagram C



Diagram A (asymmetrical)



**DOUBLE-SIDED  
HANDLES**



**ENHANCED BURGLAR-RESISTANT  
PROTECTION FOR YOUR HOME**



**MAXIMUM CONSTRUCTION  
WIDTH: 251 31/32 in**  
(6400 mm)



#### **SOFT CLOSE**

Light and easy sliding.  
Ensures smooth closing  
of the sashes and effectively  
protects against pinching.



#### **SMART SOLUTIONS**

Automatic sliding, locking,  
and unlocking of lift-and-slide  
doors, thanks to a fully  
concealed drive system.



#### **BARRIER-FREE HOME**

Low door threshold with  
a height of 1 57/64 in (48 mm),  
which can be recessed  
on the interior side along its entire height.







## V-LIGHT NEO

### LIFT-AND-SLIDE DOORS

V-LIGHT is an economical solution, ideal for small terrace entrances. It is built using standard window profiles. The sashes slide thanks to a special hardware mechanism. By turning the handle from the closed position, the sash moves inward, perpendicular to the window plane, and then slides to the side. The doors also feature a tilt function for the sash.

- ▶ Sash installation depth: 2 3/4 in 2 61/64 in 3 11/32 in (70/75/85 mm)
- ▶  $U_w = 0,76 \text{ W/m}^2\text{K}^*$
- ▶ Maximum dimensions of the movable sash:  
63 1/8 in × 82 11/32 in or 55 1/8 in × 90 9/16 in (1600x2100 mm or 1400x2300 mm)
- ▶ Maximum glazing depth: 2 1/64 in (51 mm)
- ▶ Possibility of using concealed hinges
- ▶ Optional: operable from both sides
- ▶ Possible opening options: A, G
- ▶ Available with double-sided handles



\* Value according to European standards for a reference window measuring 48 7/16 in × 58 9/32 in (1.23 m × 1.48 m). Ask your distributor for details.



The doors are available with a single sliding sash in either a symmetrical or asymmetrical configuration, or in a layout with a central sash.



Diagram A (symmetrical)



Diagram A (asymmetrical)



Diagram G



**DOUBLE-SIDED  
HANDLES**



**PERFECT FOR  
SMALL SPACES**



**MAXIMUM DIMENSIONS OF THE MOVABLE  
SASH: 1600×2100 MM OR 1400×2300 MM**  
(62 63/64 in x 82 43/64 in or 55 1/8 in x 90 35/64 in)



#### **AUTOMATIC VENTILATION**

Hardware with parallel offset and automatic control functions provides natural ventilation in automatic mode.



#### **EASY OPENING**

By turning the handle from the closed position, the sash moves inward, perpendicular to the window plane, and then slides to the side.



#### **MINIMALIST DESIGN**

Exceptional lightness and elegance thanks to the use of profiles in the VISION NEO system.







**CHOOSE YOUR COLLECTION**



# REAL WOOD LOOK COLLECTION<sup>®</sup>

Imagine windows that look like real wood but require no maintenance. The Real Wood collection combines the natural charm and warmth of wooden structures with modern technology that ensures durability and weather resistance. It is a solution for those who love authenticity but do not want to compromise on comfort.



Special oak

Winchester

Walnut

Italian walnut

Mahogany

Swamp oak

Arctic oak



Bleached oak

Sand oak

Light oak

Malt oak

Gold Oak

Dark oak

Mokka

Toffee





# WOODEC COLLECTION

The faithfully preserved look of real wood and its unique character, combined with all the advantages of PVC windows – this is what the new WOODEC finish offers. New wood-effect decors create a pleasant atmosphere and a modern look indoors, while guaranteeing a high-quality appearance outdoors.



Turner Oak  
Malt  
AP 19

Sheffield Oak  
Alpine  
AP 20

Sheffield Oak  
Concrete  
AP 21

Turner Oak  
Toffee  
AP 22


Turner Oak  
Walnut  
AP 35

Turner Oak  
Amber  
AP 39



# ALUDEC COLLECTION

The attractive surface of Aludec decorative structures, distinguished by a unique, fine-grained, matte surface with a powder-coated aluminum structure, is certainly a proposal that will work perfectly in modern, minimalist arrangements.







## STANDARD COLLECTION



Veneers in a variety of finishes combine aesthetics inspired by nature with the durability of modern technologies. A wide range of colors and textures also allows you to create windows perfectly suited to both classic architecture and contemporary interiors.



Birch  
AP 52

Douglas  
AP 11


Special Oak  
AP 01

Mahogany  
AP 05

Sheffield Oak  
AP 75

Sheffield Oak  
Brown AP 93

Newcastle Oak  
Khaki AP 95



Dark Red  
AP 32

Green  
AP 43

Diamond Blue  
AP 47

Metbrush  
Aluminium  
AP 63

Quartz Grey  
(sanded) AP 65


Papyrus White  
AP 86

Jet Black Matt  
AP 71



## REAL COLORS COLLECTION

This gives you complete freedom to match your windows to the character of your home. The profiles are painted in all RAL colors, including special effects. Furthermore, invisible welding technology gives the profiles a uniquely aesthetic and modern look, with no visible corner joints.



The Standard and Real Colours collections are available in full on the website.





# UNIQUE DESIGN

OUR PASSION IS ATTENTION TO DETAIL



## VARNISHED RECESSES

An absolutely innovative technology available ONLY in VIKKING lacquered windows. Taking care of every detail of our products, we present a solution that meets the most demanding expectations. Now you can have windows with a completely invisible NANO – PERFECT weld in your home. In addition, we offer the option of varnishing each recess – a detail that determines the individual aesthetics.



## FILLING THE FITTING GROOVE

Filling the hardware groove is a detail that significantly affects the aesthetics of the window finish. Thanks to the use of appropriate filling, the interior of the profile gains a uniform appearance, and the window line becomes more consistent and elegant. This solution is particularly valued in modern designs, where every detail and perfect finish counts.



## HIDDEN HINGES

Windows with invisible switches are not only designer elements, but also functional solutions that blend harmoniously into modern and minimalist interiors, adding a subtle touch of luxury.

## PERFECTLY FIT



available colors  
of hinge covers



## **REAL WOOD LOOK<sup>®</sup> - INNOVATIVE DESIGN**

The unique decoration system created by the VIKKING engineering team is subject to international patent protection. The RW technology used to decorate the PVC profile surfaces eliminates the need for veneering and ensures the long-lasting durability of the resulting structure. Unlike wooden windows, Real Wood look windows do not require expensive surface maintenance.

## **INVISIBLE WELD NANO - PERFECT<sup>®</sup>**

Lacquered windows with invisible welds combine functionality and modern aesthetics – now available in any colour, perfectly matched to your vision. Advanced technology hides the joints, guaranteeing an exceptionally smooth finish, durability and excellent tightness. Their minimalist form emphasises their exclusive, contemporary character, giving you complete freedom to personalise their appearance.







# SPECIAL WING OPENING FUNCTION

## ENERGY-SAVING AIRING WITHOUT DRAUGHTS

ActivPilot Comfort PADM fittings with parallel offset and automatic control ensure natural ventilation in automatic mode while maintaining increased burglary resistance.

With the sash positioned 15/64 in (6 mm) from the frame, the window is securely locked, minimizing energy losses. During ventilation, the interior remains draft-free and perfectly protected from insects and external weather conditions.

When ventilated, the window meets the requirements of the ENV 1627-1630 standard up to class RC2, i.e. it behaves like a closed, burglar-proof window.





**CHOOSE EXTRAS AND ACCESSORIES**



# WINDOW HANDLES

ACCESSORIES THAT ADD STYLE

## LUXEMBOURG



White Silver F9 Golden F4 Anthracite

## TOULON



Silver F1 Brown Anthracite Golden F4

## DUBLIN



White Steel F9 Golden F4 Black

## VICTORY



White Steel F9 Golden F4 Anthracite





## HANDLES FOR BALCONY DOORS TILT AND SLIDE

**KS 502**



White

Silver F1

Steel F9

Golden F4

Brown

Anthracite

Black

## DOOR HANDLES DESIGNED FOR V-SPACE

**HS 300**



White

Silver F1

Golden F4





# DOUBLE-SIDED DOOR HANDLES

STYLISH AND PRACTICAL

DUBLIN DE LUXE HS 9005DLX



DUBLIN DE LUXE HS WITH OPENING 9005DLX



DUBLIN DE LUXE SMART












# MOSQUITO NETS

Mosquito nets provide functional and practical protection against unwanted insects. They guarantee comfort in your home even when the windows are open and the lights are on. Mosquito net frames can be made in any decor, perfectly matching the colour and style of your windows. This makes them an aesthetic and consistent addition to your window frames, without disturbing the appearance of the façade or interior.


**Durable materials, resistant to weather conditions, ensure the longevity of the product. Use of mosquito nets it also does not affect the clarity of the view.**




**PLEATED MOSQUITO  
SCREEN**



**ROLL-UP MOSQUITO  
SCREENS**



**SLIDING MOSQUITO  
SCREENS**



**FIXED MOSQUITO  
SCREEN**



# WARM EDGE SPACERS

## SWISSPACER

The spacers are designed to reduce heat transfer, effectively minimizing the amount of energy lost from the interior to the exterior or vice versa. This helps maintain a stable indoor temperature and reduces energy losses.



Available Spacer Colors

- Thermal insulation
- Reduction of thermal bridges
- Energy savings
- Compliance with energy standards
- Available in a variety of colors

## EXCELLENT THERMAL INSULATION





# IN-BETWEEN GLASS BLINDS

## ELEGANCE AND FUNCTIONALITY

A subtle play of light and shadow, full control over privacy, and comfort that becomes a daily luxury – this is what in-between glass blinds in VIKKING windows offer. In-between glass blinds are more than sun protection – they are a discreet detail that enhances the interior, providing top-level comfort and elegance.

## MANY POSSIBILITIES

The mechanism allows the slats to be raised, lowered, and tilted, and can be operated electrically via a switch or remote, or manually using a cord or crank (control is achieved through magnetic movement).

## AESTHETIC SOLUTIONS

Placed inside the glazing unit, the blinds are completely protected from dust, damage and the passage of time.

The mechanism operates smoothly and reliably, and the elegant control panel allows for easy adjustment of the light output – from full illumination of the interior to intimate semi-darkness.

This solution perfectly complements the aesthetics of modern, luxurious spaces. With no external elements, the windows maintain their minimalist, elegant form while gaining an additional feature that enhances the prestige and value of the entire home.









# EXTERNAL ROLLER SHUTTERS

## SAFETY AND PRIVACY

External roller shutters provide effective protection against burglary, as well as excellent thermal and acoustic insulation.



Built-in retractable mosquito screen



### ADAPTIVE SHUTTER SYSTEMS

A practical solution, mainly designed for installation in existing buildings without the need to modify the window structure. These shutters are mounted on the façade or within the window recess, making them versatile and easy to install.

### EXTERNAL BOX ROLLER SHUTTER SYSTEMS

A modern and functional solution, mainly used in new buildings or when replacing window joinery. Installed directly on the window frame and placed within the window recess along with the shutter. This makes the system's components nearly invisible, seamlessly blending with the building façade.

### SMART INTEGRATION

Roller blinds can be controlled using various drives – from a basic belt or cord system, through crank mechanisms, to electric motors controlled by a smartphone.

### SELECTED COLOR SCHEMEA



golden oak mahogany walnut winchester RAL 9016 RAL 7047 RAL 9006 RAL 7038 RAL 9011 RAL 9001 RAL 6005 RAL 7016

...and much more



# STYLISH WINDOWS

## WINDOW MULLIONS

Stylish windows with mullions are an elegant solution that brings both classic and modern aesthetics to the interior. They feature glass subtly divided into smaller panes by decorative mullions. This decorative element gives the windows a unique character and adds a refined look to the room.

## TRADITION IN A MODERN STYLE

The elegant design of windows with mullions brings a subtle reference to classic style into the interior, while simultaneously creating a harmonious composition with a touch of modernity.

**Available in various sizes**

**Available in a variety of colors**



### INTERNAL MULLION

A decorative element installed between the panes of glass.



### VIENNESE MULLION

Mounted on the external surface of the glass in combination with a spacer bar inside the glass unit.





# GLASS UNITS TAILORED TO YOUR NEEDS

## SAFE HOME



Toughened safety glass provides high resistance to impact from soft objects, up to five times greater than standard non-toughened glass of the same thickness. When broken, it shatters into many small pieces, just like car glass.

Laminated glass provides effective protection against breakins. The use of two layers of film between the glass panes allows for a P2 security rating to be achieved. An additional advantage is the reduction of UV rays penetrating the interior, which limits the fading of colours on walls and furniture.



## SOLAR PROFIT

Next-generation energy-efficient glass uses advanced low-emission coatings that retain heat inside the rooms while allowing more natural light to enter. The brightness of the glass enables longer enjoyment of sunlight compared to standard double-chamber glass.







# UNIQUE GLASS

## WINDOWS WITH DECORATIVE GLASS

Decorative and patterned glass serves both an aesthetic and functional purpose. It is an excellent solution that provides natural interior lighting while maintaining the privacy of the room's occupants. Due to its decorative value, decorative glass is ideal for use in office partitions, balustrade elements, and even glass doors.






# NON-STANDARD DESIGNS

## WINDOWS TAILORED TO YOUR IMAGINATION

We offer windows in non-standard shapes and configurations that perfectly adapt to individual architectural visions. From classic arches and geometric forms to modern glazing solutions – each window is crafted with precision and attention to detail. It is not only a functional element of the building but also a refined aesthetic accent that emphasizes its character.





# PVC DOORS

## DURABILITY AND UNLIMITED DESIGN POSSIBILITIES

- ▶ Option to use a glass unit, or a PVC or composite panel with any design.
- ▶ Innovative structural bonding system for glass units
- ▶ Outstanding airtightness thanks to the use of three seals
- ▶ High thermal and acoustic insulation
- ▶ Easy maintenance and corrosion resistance
- ▶ User safety

### Available profile systems:

- ▶ VISION NEO MD/AD
- ▶ ARTIC ULTRA 7000
- ▶ ARTIC 4000



#### MAGNETIC THRESHOLD

By using magnets, it ensures excellent door sealing, protecting the interior from drafts and moisture without a physical barrier on the floor, allowing for a convenient and safe passage.  
(optional)



#### 0.0 in THRESHOLD

Ideal wherever comfort and safety are a priority. The zero-threshold system poses no obstacle for strollers, walkers, or wheelchairs.  
(optional)



#### DYNAMIC 2D HINGES

Safety, adjustability, long service life, and reliability without compromising aesthetics.







# PROFESSIONAL INSTALLATION


## TRIPLE-LAYER SEALED INSTALLATION

Professional installation of window and door joinery is crucial for its long-term performance. It is important to remember that improperly executed installation can lead to numerous problems. Sealed installation, also known as layered installation, ensures airtightness at the junction between the wall and the frame. This method significantly improves the insulation performance at the window-to-wall interface by providing additional protection to the thermal insulation layer.

Professional installation involves applying two additional insulation layers: an internal vapor barrier and an external vapor-permeable layer. When done correctly, it prevents moisture from penetrating from the interior into the thermal insulation while allowing accumulated moisture to be safely expelled outside. Skipping this step may result in damp window reveals, creating conditions for mold and mildew growth.

## SAFE TRANSPORT – ATTENTION TO DETAIL

Professional window installation is a key factor in ensuring not only durability but also the energy efficiency and aesthetics of the entire structure. In our process, we take into account the needs of our distributors. Therefore, we do not stop at manufacturing the window; we ensure that our products are delivered safely to the construction site. Equipping them with transport straps is one of the essential solutions that facilitate and secure this process.



Proper window installation is an investment in energy efficiency and a guarantee of many years of comfortable use. That's why choosing a professional and experienced installation team is just as important as selecting the windows themselves.

## PARTNER ZONE

You can find more information about installation in our Partner Zone.




see more






# ACCESSORIES


## EXTENSIONS




■ 140209




■ 140205




■ 140207




■ 140208




■ 160201




■ 160202




■ 160203




■ 160204




■ 180209



■ 180201




■ 180203




■ 180204


## H CONNECTOR




## H CONNECTOR




## STATIC CONNECTOR




## STATIC CONNECTOR




## 90° CONNECTOR



## CONNECTOR




## CONNECTOR 135°







# ENCLOSURE SYSTEMS









63

**PRESTIGIOUS ENTRANCE**

**OF YOUR HOME**

Line: ULTIMATE  
Collection: CRYSTAL  
Model: 04 03 GC





---

HARMONIOUS VIKKING WINDOW AND DOOR OFFERING

# COMPOSITE DOORS



# Open Yourself to New Possibilities

We have combined advanced technology and ultra-innovative solutions with traditional craftsmanship and meticulous attention to detail, ensuring that every window and door stands out for its exceptional precision, quality, and optimal functionality—without compromising the legendary durability and comfort characteristic of premium products.

ADJUST THE PARAMETERS TO YOUR NEEDS

**5 TECHNOLOGY LINES**

CHOOSE A STYLE THAT MATCHES YOUR PREFERENCES

**8 COLLECTIONS**

GET INSPIRED AND DESIGN YOUR OWN CUSTOM SOLUTION

**1000+ MODELS**





# The best performance on the market



## Thermal transmittance coefficient

Ud starting from


**0,49**  
Wm<sup>2</sup>/K



## Burglary resistance class

Up to

**RC3**




## Door Leaf Thickness

Up to

**3 35/64 in**  
(90 mm)

## YOU NO LONGER HAVE TO COMPROMISE!

We have created innovative composite doors from the ground up to meet your most individual expectations. Advanced technology and innovative solutions make it possible to craft any door of your dreams without compromising on quality or durability! No other doors offer as many benefits without the flaws and limitations of traditional technologies. Composite doors are resistant to harsh weather conditions, do not absorb moisture, do not corrode, and maintain their highest quality for decades.



### CUSTOMIZED DESIGN

In an era of global product standardization, we are among the few offering tailor-made solutions. Every composite door and Real Wood window is designed to meet the most sophisticated expectations, ensuring that you enjoy a well-made choice for decades to come.



### FIBERGLASS-REINFORCED

Thanks to the use of fiberglass technology, composite doors are impervious to intruders, require no tedious or frequent maintenance, and their unmatched durability provides peace of mind for generations.



### NO CANOPY REQUIRED\*

Unlike doors made from traditional materials, composite doors do not corrode, are resistant to moisture and harmful UV radiation. They are the only doors in their class without any restrictions requiring full canopies or minimum distances from indoor heating appliances.


\*see: Detailed warranty terms.







## COMPOSITE FRAME

The world's first, unique combination of a door leaf with a composite frame, offering properties unattainable with traditional solutions.



non-rebated system

**U ULTIMATE**



rebated system

**V VISION**

## ILLUMINATED DOOR LEAF

Make your home stand out by adding a unique lighting effect. A gentle glow emanating from beneath the door leaf provides subtle illumination to the entrance area.



## SIDE AND TOP LIGHTING

Side and top lights not only enhance the visual aspect, giving doors an optical sense of lightness and elegance, but also serve a practical purpose by providing better illumination to the entrance area.





## ELITE Collection



04 10 GCL



04 11 GCL



05 08 GCL



05 10 GCL



05 11 GCL

## CRYSTAL Collection



04 02 GC



04 03 GC



10 01 GCM




10 03 GC



10 12 GC



## VINTAGE Collection



04 10 L



05 10 GL



05 10 L



05 11 GL



05 15 L

## INSPIRO Collection



04 01i



04 12 Gi



05 12 Mi1



07 05 Mi2



08 17 GMi





## TREND Collection



04 02 GM1



05 02 GM1



05 16 GM1



10 01 GFM



10 11 GF1

## FUTURE Collection



06 01 GM1



06 02 GM1



06 03 GM1



06 09 GM1



06 11 GM1



## VARIANT Collection



04 04 M



03 05 M



04 09 M



05 06 M



05 11 M

## CLASSIC Collection



02 03 GM1



02 04 GM2



02 09 GM1



02 11 GM1



02 13 M





**Line:** ULTIMATE  
**Collection:** ELITE  
**Model:** 04 10 GCL



# ONLINE door configurator



**Configure your dream composite door yourself  
whenever you want,  
without leaving your home!**

All information contained in this publication is provided for promotional purposes only and cannot be considered a binding commercial offer. Due to printing limitations, the colours and patterns presented may differ slightly from the actual ones. The individual production process, differences in grain, colouring and surface structure of windows and doors, as well as the hand-crafted stained glass decorations contribute to the unique character of VIKKING composite doors and cannot be considered binding. Any claims regarding different interpretations cannot constitute grounds for complaints, and in cases of disagreement, the industry standard shall serve as the reference document. The manufacturer reserves the right to make technical improvements and changes to the product range. All products are manufactured and equipped exclusively for individual, one-off orders. Before installing the product, please read the installation, use and maintenance instructions and the warranty terms and conditions. Failure to comply with the rules contained therein may result in the loss of warranty rights. We make every effort to ensure that our publications contain complete and accurate information about our offer, but we are not responsible for any inaccuracies. This publication is protected by copyright in its entirety. Any reproduction, including partial reproduction, requires the manufacturer's consent. We manufacture Real Wood composite doors and windows based on our own proprietary technological solutions. Their innovative nature is confirmed by the international patent protection rights granted to us. Any unlawful infringement of intellectual property rights will be grounds for compensation claims. The offer is valid from 1 January 2025. All previous offers expire on that date.





P.W. VIKKING KTS Sp. z o.o.  
Aleja Solidarności 4  
21-500 Biała Podlaska

Contact:

+48 506 365 228

+48 601 896 991

centrum@vikking.eu

**BUSINESS PARTNER**

---

**vikking.us**